



Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, P R of China

Tel: +86-755-8218 4166 Fax: +86-755- 8218 7033

Email: info@meyor.cn URL:

www.rbb.com.cn

MATERIAL SAFETY DATA SHEET: According to EC-directive 2001/58/EC

S-80 HS Code: 38121000

1. 化学品及企业标示(CHEMICAL PRODUCT AND COMPANY IDENTIFICATION)

产品标签名/ Product label name S-80

深圳市华起达实业有限责任公司 Meyors Chemical INC Limited

深圳市罗湖区中兴路,外贸集团大厦 2610-2611 室

供应商/ Supplier RM 2610-2611 Foreign Trade Building, Zhong Xing Road

Shen Zhen. China TEL:+86-755-82184166 FAX:+86-755-82187033

紧急电话/ Emergency telephone +86-755-82190130

产品用途/ Intended use 橡胶硫化剂/ Rubber Vulcanization Agent

2. 成分/组成信息(COMPOSITION/INFORMATION ON INGREDIENTS)

化学名/ Chemical name

20% SBR

CAS 编号/ CAS NO.

产品描述/ Chemical description 黄色颗粒/ yellow granule

TSCA NO.编码/ TSCA NO. 无/ none

EINECS 号码/ EINECS NO. 无/ none

3. 危险性鉴定(HAZARDS IDENTIFICATION)

根据 EEC 的危险物质指示和危险准备指示没 Not classified as hazardous according to the EEC Dangerous

有危害性分类。 Substance Directive and Dangerous Preparation Directive.

空气中可能会散布粉尘。 Dust explosion possible in the presence of air.

散布在空气中的粉尘易燃。 Dust suspended in air ignites easily. 燃烧硫磺会发出有毒气体。 Burning sulfur emits highly toxic gases.

4. 急救措施(FIRST AID MEASURES)

Dust may be irritating to the respiratory tract and cause symptoms of

bronchitis

Ingestion: The product produces characteristic stomach breath odour,

症状和效果/ Symptoms and effects nausea or vomiting.

Eye: Particulates of the material may cause mechanical irritation.

Skin: In case of prolonged contact: Slight irritation. In case of repeated

contact: Risk of dermatitis.





Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, P R of China

Tel: +86-755-8218 4166 Fax: +86-755- 8218 7033

Email: info@meyor.cn URL:

www.rbb.com.cn

粉尘可能吸入呼吸道,从而导致支气管炎。 摄取:产品的特性会导致胃胀,恶心或呕吐。

急救/ First aid

In all cases of doubt, or when symptoms persist, seek medical attention. 通常情况/ General

任何可疑情况,或有任何症状出现,请马上找医生咨询。

Move to fresh air. If symptoms persist, seek medical advice. 吸入/ Inhalation

呼吸新鲜空气。如果有持续症状,请马上就医。

Wash immediately with soap and water. Launder clothes before reuse立

即用肥皂和清水冲洗。衣物重新使用前必须洗净。

Rinse thoroughly with plenty of water. Eyelids should be held away from the eyeball to ensure thorough rinsing. Seek medical advice if irritation

眼睛/ Eye develops.

翻开眼睑用清水冲洗干净。

确保洗除残渣。如果出现愤怒症状请就医。

Rinse mouth, give water to drink, Seek medical advice.

请漱口,喝水,询医。

Symptomatic treatment is advised.

医生建议/ Advice to physician 有症状时就医。

5. 消防措施(FIRE-FIGHTING MEASURES)

灭火媒介/ Extinguishing media

不适用的灭火媒介

摄取/ Ingestion

/ Unsuitable extinguishing media

特殊危险/ Special exposure hazards

分解腐烂危险/燃烧产品/ Hazardous decomposition/

combustion products

保护设备/ Protective equipment

其他信息/ Other information

Large quantities of water, waterspray, water mist, foam,

dry chemical powder, CO2, sand.

大量水,喷物,水雾,泡沫,干粉灭火器,CO₂

Wateriet.

水注(流)

Combustible powder. Dust explosion possible in the presence of air. Burns with nearly invisible flame. Emits

toxic and corrosive fumes under fire conditions.

易燃粉末。空气中可能会弥漫粉尘。燃烧几乎无火焰。在燃

烧时产生电磁和腐蚀性浓烟。

Sulfur oxides (SO_x): May cause delayed pulmonary

oedema.

硫的氧化物:可能导致慢性肺部肿瘤。

Wear self-contained breathing apparatus.

需佩戴空气呼吸器。

Evacuate all non-essential personnel.

Because of dangers of toxic effects, warn people to shelter indoors. Close doors and windows and stop ventilation.

Approach down wind.

Avoid dispersing the dust into clouds when using

extinquishing means.

If safe to do so, remove the exposed containers, or cool





Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, P R of China

Tel: +86-755-8218 4166 Fax: +86-755- 8218 7033

Email: info@meyor.cn URL:

www.rbb.com.cn

with large quantities of water.

Do not allow run-off from fire fighting to enter drains or

watercourses.

Thoroughly clean equipment after use.

疏散无关人员。

由于毒害危险,警告人们呆在室内。关闭门窗,停止通风。

靠近下风口

使用时避免粉尘挥发到空气中

安全的做法是移除敞开的容器,或用大量的冷水。

避免消防水接触下水道, 土地或水源。

使用后彻底洗净设备。

6. 泄露应急处理(ACCIDENTAL RELEASE MEASURES)

For personal protection see Section 8.

Avoid dispersing the dust into clouds.

Eliminate all sources of ignition, and do not generate

flames or sparks.

对于个人防范请参照第8部分。

避免粉尘挥发到空气中。

消除所有火源,不要产生火焰或火花。

Do not flush into public watercourses. Avoid discharge into

the environment.

不要倒入公共水源中。避免流入环境之中。

Collect as much as possible in a clean container for (preferable) reuse or disposal. Do not use hair-brooms and plastic-brooms. Rinse remnant with plenty of water. Refer

to section 13 for disposal of spilled material.

收集尽可能多的清洁用容器(最好能重复使用)用来处理事 故。不要使用发刷和塑料刷。用大量的水冲洗残留物。最好

参看第13部分对于溢出物的处理。

环境预防/ Environmental precautions

个人防范/ Personal precautions

清洁处理方法/ Methods for cleaning up

操作处置/ Handling

7. 操作处置与储存(HANDLING AND STORAGE)

Keep away from sources of ignition - No smoking! Use non-sparking handtools. Avoid dispersing the dust into

clouds.

Carry out industrial operations in closed piping circuits and

equipment. Use electrically conductive materials for piping

circuits and equipment.

Avoid contact with eyes.

Good industrial practice in housekeeping and personal

hygiene should be followed.

远离火源-一不准吸烟! 使用不产生火花的工具。避免粉尘





Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, P R of China

Tel: +86-755-8218 4166 Fax: +86-755- 8218 7033 Email: info@meyor.cn URL:

Email: <u>info@mey</u>

www.rbb.com.cn

挥发到空气中。

实现工业操作管道循环和设备的封闭性。对循环管道和设备 使用电导材料。

避免接触眼睛。

好的操作规则和个人卫生习惯应该遵循。

Dust/air mixtures may ignite violently upon exposure to sparks or sources of ignition.

Dust explosion class (VDI 2263): St 1.

Avoid dust accumulation. Avoid dispersing the dust into clouds. Eliminate all sources of ignition, and do not generate flames or sparks. Prevent electrostatic discharges. Use grounded equipment. Totally or partially inert closed equipment to reduce oxygen content below 7%. Minimize vertical drop distance in chutes and hoppers to prevent generation of dust clouds and static electrical charge.

粉尘/空气 混合物可能会引起猛烈的爆炸。

粉尘爆炸等级(VDI 2263): St 1。

避免粉尘堆积。避免粉尘挥发到空气中。消除火源,同时避免产生火焰或火花。防止静电的产生。使用接地设备。完全或部分地关闭设备使氧含量低于 7%。在斜道和单足跳时减少落差。阻止空气中粉尘和静电的产生。

Store away from sources of heat and ignition. Store away from reactive products (refer to sec. 10). Keep the original package or container closed if not in use. Protect from direct sunlight.

远离热源和火源储存。远离会起反应的产品(最好参看第 10 部分)。如果不用请保持储存产品的袋子或容器封闭。不要放在阳光直射的地方。

火灾爆炸处理/

Fire and explosion prevention

储存要求/ Storage requirements

8. 接触控制/个体防护(EXPOSURE CONTROLS/PERSONAL PROTECTION)

工程学控制/ Engineering controls exhaustion of the working area.

避免粉尘产生。确保当地工作场所通风。

No exposure limits have been established for this material. The following data are applicable to the ingredient(s) listed

Avoid dust generation. Ensure good ventilation and local

below.

无限制。其它数据请参看下面。

个体防护/ Personal protection

暴露限制/ Exposure limits

呼吸器/ Respiratory

Avoid breathing dust. In case of dust formation use dust mask. In case of decomposition, face mask with type E-P2 cartridge.



皮肤和身体/ Skin and body



手/ Hand

眼/ Eye

Meyors Chemical INC Limited

Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, P R of China

Tel: +86-755-8218 4166 Fax: +86-755- 8218 7033

Email: info@meyor.cn URL:

www.rbb.com.cn

避免吸入粉尘。在产生粉尘的情况下请佩戴防尘面罩。在腐烂分解情况下,佩戴 E-P2 型面罩。
Wear suitable gloves.
佩戴相应的长手套。
Wear safety goggles.
佩戴防护眼罩。
Wear suitable protective clothing.

穿戴相应的保护服装。

9. 物理和化学特性(PHYSICAL AND CHEMICAL PROPERTIES)

ALVIII / A management	Yellow granule	颜色/ Colour	Yellow
外观/ Appearance	黄色颗粒		黄色
气味/ Odour		沸点/ Boiling point	
熔点/ Melting point		闪点/ Flash point	207℃
易燃性/ Flammability		加热减量≤ Loss on drying%(Max)	0.50
爆炸性/ Explosive properties		自燃温度/ Auto ignition temperature	232 °C
氧化性/ Oxidizing properties	- 10	蒸汽压/ Vapour pressure	
比重/ Density	$1.50\pm0.10~g/m^3$	体积密度/ Bulk density	
溶解性/ Solubility in water	Insoluble in water 不溶于水	在其它溶剂中的溶解性 Solubility in other solvents	Partly soluble in organic liquid 微溶于有机溶剂
门尼粘度/ Mooney Viscosity	<80 ML(1+4)at100°C	分解系数/ Partition coefficient	
Residues (150um)% Max 筛余物	0.1(Max)	相对蒸汽密度/ (air=1) Relative vapour density	

10. 稳定性和反应性(STABILITY AND REACTIVITY)

	Stable under recommended storage and handling conditions	
稳定性/ Stability	(see section 7).	
	推荐的稳定储存和搬运条件(请参照第7部分)	
应避免的情况/ Conditions to avoid	Heat, sources of heat, naked flames, sparks, direct sunlight	
应避免的情况 Conditions to avoid	热,热源,火焰,火花,阳光直射。	
应避免的物质/ Materials to avoid	Oxidants, amines	
应避免的初度/ Waterials to avoid	氧化剂,胺类物质。	
腐烂分解毒害性产品/	Sulfur oxides (SOx).	
Hazardous decomposition products	硫的氧化物。	





Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, P R of China

Tel: +86-755-8218 4166 Fax: +86-755- 8218 7033

Email: info@meyor.cn URL:

www.rbb.com.cn

11. 毒理学资料(TOXICOLOGICAL INFORMATION)

名称/ Name S-80

敏感性毒害/ Acute toxicity

口头的/ Oral LD50 老鼠/ rat: >4000 mg/kg.

皮肤的/ Dermal LD50 兔子/ rabbit: >2000 mg/kg.

吸入/ Inhalation LC50 兔子/ rat: > 9.23 mg/l.

易愤怒/ Irritation

皮肤/ Skin rabbit: Non-irritating/ 兔子: 无烦躁或愤怒

眼睛/ Eye rabbit: Non-irritating/ 兔子: 无烦躁或愤怒

呼吸/ Respiratory rabbit: Non-irritating/ 兔子: 无烦躁或愤怒

Patch testing (Human experience): Not sensitizing. 感光性/ Sensitization

取样实验(人体)表明:无光敏性。

基因学/ Genotoxicity Not mutagenic (in vitro)/ 无诱导基因突变物质。

其它毒物学信息/ Chronic toxicity: NOEL (No Observable Effect Level) (rat, oral): 500 mg/kg.

Other toxicological information 慢性毒性:无明显效果水平:500 mg/kg。

12. 生态学资料(ECOLOGICAL INFORMATION)

名称/ Name S-80

生态学/ Ecotoxicity

产品/ Product

鱼/ **fish** 96h-LC50 (Danio rerio): 866 mg/l.

水蚤/ daphnia 24h-EC0 (Daphnia magna): >10.000mg/l.

生物体内积累/ Assimilation and consumption in proteic synthesis

Bioaccumulation 蛋白质合成中同化和消耗。

13. 废弃处理(DISPOSAL CONSIDERATIONS)

Small quantities: According to local regulations. (most probably controlled incineration). The incinerator must be equipped with a system for the neutralization of SOx.

Large quantities: Consult Meyors Chemical for special

advice.

避免流入环境。

小量:根据当地规定。(大部分被控制焚化)。焚化炉必须装

备 Sox 的中和系统。

大量:请联系美尔化工获取建议。

According to local regulations.

包装污染/ Contaminated packaging 根据当地规定。



危险性短语/ R(isk) phrase(s)



Meyors Chemical INC Limited

Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, P R of China

Tel: +86-755-8218 4166 Fax: +86-755- 8218 7033

Email: info@meyor.cn URL:

www.rbb.com.cn

14.	运输信息(TRANSPORT	INFORMATION)

陆运/ Land transport (ADR/ RID)					
ADR 等级/ ADR class		RID 等级/ RID class			
ADR/RID 包装组成/		危害鉴定号/			
ADR/RID packing group		Hazard Identification No.			
物质鉴定号/		UN 号			
Substance Identification No.		UN number			
适当海运名称/	Proprietary predispersed 80% of Rhombic Sulfur in 20% electrometric				
Proper Shipping Name	S-80				
Documentation justifying the non-dangerous goods			roperties is available on		
其他信息/ Other information	request.				
	文件证明非危险品,	符合要求。			
海运/ Sea transport (IMDG-code/ IMO)	1				
正确的技术名称		IMDG 等级			
Correct technical name		IMDG Class			
UN 号码/ UN Number	\	包装组成			
ON 3 pay ON Number		Packaging group			
EMS 号/ EMS Number					
Documentation justifying the non-dangerous goods properties is available.					
其他信息/ Other information	request.		·		
	文件证明非危险品,	符合要求。			
空运/ Air transport (ICAO-TI/ IATA-DG	R)				
ICAO-TI/IATA-DGR 等级		UN 号			
ICAO-TI/IATA-DGR Class		UN number			
包装组成					
Packing group					
	Documentation justi	ifying the non-dangerous goods p	roperties is available on		
其他信息/ Other information request.					
	文件证明非危险品,	符合要求。			
15. 法规信息(REGULATORY INFORMATION)					
化学品描述/ Chemical description		S-80			
标签根据 EC 指标/ Labelling according to EC directives					
50 H/50		See section 2			
EC 号/ EC-number		查看第2部分			
分级标准/ Classification based on		Tests/ 测试			
M M MILL CIACOLLIGITION DUCOU OII		- COLON DIA PRI			

None/ 无





Operational Office Address: Suite 2610-2611 Foreign Trade Building, 239 Zhongxing Road, Luohu District, Shen Zhen City, P R of China

Tel: +86-755-8218 4166 Fax: +86-755- 8218 7033

Email: info@meyor.cn URL:

www.rbb.com.cn

安全性短语/ S(afety) phrase(s)

None/ 无

16. 其他信息(OTHER INFORMATION)

This information only concerns the above mentioned product and does not need to be valid if used with other product(s) or in any process. The information is to our best present knowledge correct and complete and is given in good faith but without warranty. It remains the user's own responsibility to make sure that the information is appropriate and complete for his special use of this product.

这些信息仅仅涉及以上提到的产品,如果用于其他产品或其他过程,本公司不付任何法律责任。这些信息是我们当前最新最好的资料编写而成,值得信任,但我们不能绝对保证没有错误。它仅仅起到提醒使用者自己使这些信息指导相关产品用于适当的地方。

